

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	encod\$3 near3 (processor with (id or info\$3 or data)) same (stor\$3 or record\$3) with (public or private)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:37
L2	1	(state near machine) near3 (writ\$3 with location with storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:40
L3	4	(state near machine) near5 (writ\$3 with location with storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:41
L4	3	(read and write)with((state adj data)near processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:49
L5	7757	(processor or CPU or microprocessor)near5 (reserv\$3 or (privat\$3 adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:59
L6	1483	(processor or CPU or microprocessor)near(reserv \$3 or (privat\$3 adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 15:59
L7	7	(processor or CPU or microprocessor)near(reserv \$3 or (privat\$3 adj data)) same (encod\$3 or encrypt \$3)near5 ((state with data) or (privat\$3 with data) or (reserv\$3 with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:01
L8	1125	711/152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:40

L9	2	L8 and encod\$3 with internal with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:41
L10	41	L8 and processor with state with machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:42
L11	2	L10 and write with location with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:42
L12	21	"711"/\$.cds. and encod\$3 with internal with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:49
L13	3249	execut\$3 near instruct\$3 same (read with (private with state) or (reserved with data) or (state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:55
L14	3249	((execut\$3 near instruct\$3) same ((read)with (encod \$3 or encrypt\$3) with (private with state) or (reserved with data) or (state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:57
L15	3249	((execut\$3 near instruct\$3) same ((read)near5 (encod \$3 or encrypt\$3) with (private with state) or (reserved with data) or (state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:57
L16	0	((execut\$3 near instruct\$3) same ((read)near5 (encod \$3 or encrypt\$3)) with ((private with state) or (reserved with data) or (state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:58
L17	0	((execut\$3 near instruct\$3) same ((read)near5 (encod \$3 or encrypt\$3)) with (private with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:58
L18	85	((execut\$3 near instruct\$3) same ((read)near5 (encod \$3 or encrypt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:59

L19	22	L18 and "713"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:59
L20	7	L18 and "380"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:59
L21	6	L18 and "726"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 16:59
L22	2	"6983374".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:03
L23	2	"6996725".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:50
L24	31	read near5 (encod\$3 or encrypt\$3) with ((state adj data) or (reserved adj data) or (private with state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:54
L25	1	L24 and "711"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:54
L26	2	L24 and "713"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:54
L27	0	L24 and "726"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 17:54
L28	19	read near5 (encod\$3 or encrypt\$3) near5 ((state adj data) or (reserved adj data) or (private with state with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/14 18:08

S1	1100	713/189.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:52
S4	53868	(encode or encrypt\$3 or cipher or scramble\$3) near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:56
S5	6	(encode or encrypt\$3 or cipher or scramble\$3) near implement\$4 with specific with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 12:58
S7	56	S1 and (software and (platform with hardware))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 13:02
S8	30	S7 and (encod\$ or encrypt \$3 or scramble\$3 or cipher) near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:15
S11	305	(implementation near3 data)same (encode or encrypt or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:17
S12	1100	713/189.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:17
S13	2	S12 and (implementation near3 data)same (encode or encrypt or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:18
S14	323	storage near memory near region	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:19
S15	128462	((storage near memory near region)or (reserved))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:20

S16	345	((storage near memory near region) or reserved) same private with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:21
S17	1	S16 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/21 14:21
S18	280	("20010021969" "20010027527" "20010037450" "3699532" "3996449" "4037214" "4162536" "4207609" "4247905" "4276594" "4278837" "4307447" "4319233" "4319323" "4347565" "4366537" "4403283" "4419724" "4430709" "4450535" "4521852" "4571672" "4759064" "4795893" "4802084" "4825052" "4907270" "4907272" "4910774" "4975836" "5007082" "5016274" "5022077" "5023908" "5075842" "5079737" "5139760" "5187802" "5230069" "5237616" "5255379" "5287363" "5293424" "5295251" "5303378" "5317705" "5319760" "5350906" "5361375" "5386552" "5421006" "5434999" "5437033" "5442645" "5455909" "5459867" "5459869" "5461217" "5469557" "5473692" "5479509" "5500513" "5504808" "5504922" "5506975" "5511217" "5522075" "5528231" "5533126" "5555385" "5555414" "5560013" "5564040" "5566323" "5568552" "5574936" "5577120" "5582717" "5594227" "5604805" "5606617" "5614703" "5615263" "5628022" "5633929" "5641050" "5657445" "5668971" "5684948" "5706469" "5717903"	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/21 14:24

"5720609"	"5721222"
"5721781"	"5724424"
"5729760"	"5737604"
"5737760"	"5740178"
"5742756"	"5742845"
"5752046"	"5757919"
"5764969"	"5768385"
"5778069"	"5796835"
"5796845"	"5805712"
"5809546"	"5825875"
"5825880"	"5826242"
"5835594"	"5844986"
"5852717"	"5852812"
"5854913"	"5862325"
"5864830"	"5867577"
"5872994"	"5878138"
"5878141")	.PN. OR
("5883810"	"5884280"
"5890189"	"5897622"
"5898838"	"5898883"
"5900606"	"5901225"
"5903752"	"5903830"
"5903875"	"5903880"
"5905908"	"5909492"
"5913203"	"5915023"
"5918216"	"5919257"
"5923734"	"5930777"
"5935242"	"5935247"
"5937063"	"5949044"
"5949876"	"5950221"
"5953502"	"5956408"
"5956699"	"5958004"
"5960411"	"5963915"
"5966697"	"5970147"
"5970471"	"5970472"
"5970473"	"5970475"
"5978475"	"5978481"
"5983207"	"5987557"
"5991413"	"5999914"
"6000832"	"6002767"
"6009412"	"6012143"
"6014634"	"6014635"
"6014636"	"6014646"
"6014648"	"6014650"
"6014745"	"6014748"
"6016482"	"6016484"
"6023510"	"6029147"
"6029150"	"6029890"
"6035374"	"6038292"
"6038551"	"6041308"
"6044478"	"6052675"
"6055637"	"6058418"
"6058478"	"6061789"
"6061794"	"6064981"
"6070150"	"6070154"
"6075938"	"6076078"
"6078906"	"6081790"
"6085296"	"6088262"

		"6088717" "6088797" "6092095" "6092198" "6093213" "6098053" "6101584" "6108644" "6112191" "6115458" "6115816" "6122625" "6125352" "6125430" "6131166" "6141752" "6148379" "6158546" "6173417" "6175924" "6175925" "6178509" "6182089" "6188257" "6192455" "6199152" "6205550" "6212635" "6222923" "6226749" "6249872" "6252650" "6269392" "6272533" "6272637" "6275933" "6282650" "6282651" "6282657" "6292874" "6301646" "6308270" "6314409").PN. OR ("6321314" "6327652" "6330670" "6339815" "6339816" "6357004" "6363485" "6374286" "6374317" "6378068" "6378072" "6389537" "6397379" "6412035" "6421702" "6445797" "6463535" "6463537" "6499123" "6505279" "6529909" "6535988" "6557104" "6560627" "6564326" "6609199" "6615278" "6633981" "6651171" "6684326" "6701284").PN. OR ("7111176").URPN.				
S19	23	(encod\$3 or ciper or encrypt\$3 or scrumb1\$3) with(reserv\$3 with region or private with data or private with state with data)near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:09
S20	7	(public with access\$3 with area or storage or memory) same(encod\$3 or ciper or encrypt\$3 or scrumb1\$3) with(reserv\$3 with region or private with data or private with state with data)near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:16

S21	34842	"711"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:16
S22	1	S19 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:19
S23	931	processor with ((encrypt\$3 or encod\$3 or ciper\$3 or scrumb1\$3) with data) near3 (storage or memory or (public with access\$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22
S24	48	S21 and processor with ((encrypt\$3 or encod\$3 or ciper\$3 or scrumb1\$3) with data)near3 (storage or memory or (public with access\$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22
S25	1244	713/189.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:22
S26	24	S25 and processor with ((encrypt\$3 or encod\$3 or ciper\$3 or scrumb1\$3) with data)near3 (storage or memory or (public with access\$3 with area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 21:06
S27	1	S24 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:23
S29	26	decod\$3 same privat\$3 with state with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S30	4	S29 and "713"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S31	1	S29 and "380"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02

S33	1	S29 and "709"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:02
S34	9	privat\$3 adj state same (decod\$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 12:11
S35	7146	processor near decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:20
S36	4472	processor adj decod\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:20
S37	1	S36 and encod\$3 with privat\$3 with state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:21
S38	1744	S36 and encod\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:21
S39	9	S36 and encod\$3 with privat\$3 with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/11 14:22
S40	2	"7149878".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 11:28
S41	456	(encod\$3 or encrypt\$3 or ciper\$3)near(privat\$3 with data or private with state with data or implement\$5 with specific with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:09
S42	456	(encod\$3 or encrypt\$3 or ciper\$3)near(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation\$3 dynamic with obfuscation\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11

S43	41635	"713"/\$.cds.(encod\$3 or encrypt\$3 or ciper\$3)near (privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S44	205	"713"/\$.cds.and(encod\$3 or encrypt\$3 or ciper\$3) near(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S45	73	"726"/\$.cds.and(encod\$3 or encrypt\$3 or ciper\$3) near(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:11
S46	113	"380"/\$.cds.and(encod\$3 or encrypt\$3 or ciper\$3) near(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:12
S48	42	(processor or cpu or microprocessor)same (encod\$3 or encrypt\$3 or ciper\$3)near(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:14
S49	5547	(decod\$3 or decrypt\$3 or decipher\$3)with(privat\$3 with data or private with state with data or implement\$5 with specific with data or static with obfuscation or dynamic with obfuscat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:52

S50	5547	((decod\$3 or decrypt\$3 or decipher\$3)with((privat\$3 with data) or (private with state with data) or (implement\$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S51	1511	((decod\$3 or decrypt\$3 or decipher\$3)near3((privat\$3 with data) or (private with state with data) or (implement\$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S52	114	((decod\$3 or decrypt\$3 or decipher\$3)near((privat\$3 with data) or (private with state with data) or (implement\$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S53	56	S52 and "713"/\$.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:53
S54	30	S52 and "380"/\$.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:54
S55	17	S52 and "726"/\$.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:54
S56	3	(processor or CPU or microprocessor)same (decod\$3 or decrypt\$3 or decipher\$3)near((privat\$3 with data) or (private with state with data) or (implement\$5 with specific with data) or (static with obfuscation) or (dynamic with obfuscat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 16:56
S57	2	processor near private with state same (encod\$3 or encrypt\$3 or cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:37

S58	0	(processor near (private with state)) same (encod\$3 or encrypt\$3 or cipher)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:37
S59	0	state with data near processor same (encrypt\$3 or encod\$3 or cipher or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:39
S60	0	state with data near5 processor same (encrypt\$3 or encod\$3 or cipher or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40
S61	0	state with data with processor same (encrypt\$3 or encod\$3 or cipher or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40
S62	1	state with data with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:40
S63	24	(encod\$3 or encrypt\$3 or cipher\$3 or scramble\$3)near (state with data or private with state with data)with processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 18:43
S64	0	(subscriber with identity with module)near public with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:31
S65	5	(subscriber with identity with module or SIM or W\$SIM or UICC or US1SIM) near public with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:41
S66	97	(subscriber with identity with module or SIM or W\$SIM or UICC or US1SIM) near5 public with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:46
S67	28	((subscriber with identity with module or SIM or W\$SIM or UICC or US1SIM) near5 (public with key)) same (encod\$3 or encrypt\$3 or cipher or scramble\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:47

S71	6	(access with device or AP) same (activat\$3 with policy) same ((mobile with phone) or (MN) or (mobile with node) or (mobile with terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:59
S72	2	"5222140".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:35
S73	2	"6980796".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:36
S74	602	((plurality or several or many or multiple)near (instruction)same ((encod \$3 or encrypt\$3 or scrambl \$3)with processor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:20
S76	52	S74 and "713"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:23
S77	19	S74 and "380"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:23
S78	24	S74 and "726"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:23
S79	67	S74 and "711"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:23
S80	28	((encod\$3 or cipher or encrypt\$3 or scrambl\$3) with(reserv\$3 with region or private with data or private with state with data)near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:25
S81	0	"L13" and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:25

S82	27	decod\$3 same privat\$3 with state with data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:26
S83	0	S82 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:26
S84	0	S82 and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:26
S85	0	S82 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:26
S86	0	S82 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 16:27
S87	11	S76 and @pd< "20030705"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/21 17:34
S88	17	read\$3 near3 encod\$3 with private with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 18:21
S89	8	(first and second)near3 (program or application or instruct\$3)same read near3 ((private with state with data) or (specific with data) or (implement\$3 with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:05
S90	13	(first and second)near5 (program or application or instruct\$3)same read near3 ((private with state with data) or (specific with data) or (implement\$3 with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:06

S91	13	((first and second)near5 (program or application or instruct\$3))same read near3 ((private with state with data) or (specific with data) or (implement\$3 with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:06
S92	2	"6996725".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:24
S93	4200	read near3 ((private with state with data) or (specific with data) or (implement with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:32
S94	418	read near ((private with state with data) or (specific with data) or (implement with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:32
S95	74	read near (encod\$3 or encrypt\$3 or cipher or scrambl\$3)with((private with state with data) or (specific with data) or (implement with specific with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:33
S96	12	S95 and "713"/\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:33
S97	4	S95 and "711"/\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:33
S98	12	S95 and "713"/\$.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:33

S99	814	(encod\$3 or encrypt\$3 or ciper or scrambl\$3)near3 state adj data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:36
S100	401	(encod\$3 or encrypt\$3 or ciper or scrambl\$3)near3 ((state adj data) or (private with state with data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:37
S101	63	S100 and "713"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:37
S102	20	S100 and "711"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:37
S103	68	S100 and "380"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:38
S104	1	S101 and (first and second) adj (instruct\$3 or applicat \$3 or softwar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:38
S105	0	S102 and (first and second) adj (instruct\$3 or applicat \$3 or softwar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:39
S106	0	S103 and (first and second) adj (instruct\$3 or applicat \$3 or softwar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:39
S107	3567	determin\$3 near3 storage with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:47

S108	0	S107 and (load\$3)near3 (encod\$3 or encrypt\$3 or ciper)near5 (privat\$3 with state with region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:48
S109	0	S107 and (load\$3)near (privat\$3 with state with region)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:49
S110	2	S107 and (load\$3)with state with region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:50
S111	0	S107 and load with obfscat \$3 with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/11/04 19:51

EAST Search History (Interference)

< This search history is empty >

12/ 14/ 2010 7:30:57 PM**C:\Documents and Settings\fyalew\My Documents\EAST\Workspaces\ 10724321.wsp**